

SAFETY DATA SHEET

1. Identification

Product identifier #1150 Green Ink

Other means of identification None.

Recommended use Coding & Marking Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Universal Stenciling & Marking Systems, Inc.

Address 205 15th Avenue S.E.

Saint Petersburg, FL 33701

Telephone (727) 894-3027 Contact person Customer Service

Emergency phone number Chemtrec: 800-424-9300 (US only)

+1-703-527-3887 international

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Serious eye damage/eye irritation Category 2B

Specific target organ toxicity, repeated Category 2 (Kidney)

exposure

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Harmful if swallowed. Causes eye irritation. May cause damage to organs (Kidney) through

prolonged or repeated exposure.

Precautionary statement

Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not

breathe mist or vapor.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. Get medical advice/attention if you

feel unwell.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Diethylene glycol	111-46-6	94-97

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

#1150 Green Ink SDS US

4. First-aid measures

Inhalation Move to fresh air. If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact Wash off immediately with soap and plenty of water. Take off contaminated clothing and wash

before reuse. Get medical attention if irritation develops and persists.

Eye contact Flush eyes immediately with large amounts of water. Remove contact lenses, if present and easy

to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Never give anything by mouth to a victim who is unconscious or is having convulsions. Rinse

mouth thoroughly. Only induce vomiting at the instruction of medical personnel. Get medical

attention.

Most important symptoms/effects, acute and

symptoms/effects, acute ar delayed

May cause eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause mild skin irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed. Carbon oxides.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. Heat may cause the containers to explode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Avoid contact with skin and eyes. Wear suitable protective clothing, gloves and eye/face protection.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Prevent from entering into soil, ditches, sanitary sewers, waterways and/or groundwater.

7. Handling and storage

Precautions for safe handling

Avoid forming spray/aerosol mists. Do not breathe mist or vapor. Avoid contact with skin and eyes. Observe good industrial hygiene practices. Provide adequate ventilation. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wear suitable protective clothing and gloves.

Conditions for safe storage, including any incompatibilities

Store in a closed container away from incompatible materials. Store away from incompatible materials (see Section 10 of the SDS). Store between 35°F (2°C) and 120°F (49°C).

#1150 Green Ink SDS US
908081 Version #: 02 Revision date: 21-July-2015 Issue date: 30-June-2015 2 / 6

8. Exposure controls/personal protection

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	
Diethylene glycol (CAS	TWA	10 mg/m3	
111-46-6)		-	

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved safety goggles. Wear face shield if there is risk of splashes.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Other Wear suitable protective clothing and gloves.

Chemical respirator with organic vapor cartridge and full facepiece. Minimise inhalation of Respiratory protection

aerosols/mists: In case of inadequate ventilation use suitable respirator. Seek advice from local

supervisor.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Colored liquid.

Liquid. Physical state Liquid. **Form** Color Various.

Odor Characteristic. Not available. **Odor threshold** 7 (20°C/68°F) Melting point/freezing point Not available. Initial boiling point and boiling

473 °F (245 °C)

range

294.8 °F (146.0 °C) Flash point

Evaporation rate Not available. Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

0.7 % v/v

Flammability limit - upper

22 % v/v

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

0 hPa (20°C/68°F) Vapor pressure Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Completely miscible with water.

Partition coefficient Not available.

(n-octanol/water)

#1150 Green Ink SDS US

908081 Version #: 02 Revision date: 21-July-2015 Issue date: 30-June-2015 Auto-ignition temperature Not applicable.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density 1.13 g/cm³ (20°C/68°F)

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases. Alkali metals. Halogenated compounds.

Hazardous decomposition

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation. Prolonged

inhalation may be harmful.

Skin contact May cause mild skin irritation.

Eye contact Causes eye irritation. **Ingestion** Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Edema. Prolonged contact may cause redness, irritation and dry skin.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Skin corrosion/irritation Causes mild skin irritation.

Serious eye damage/eye irritation.

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure.

Aspiration hazard No data available.

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and

dermatitis.

12. Ecological information

EcotoxicityThe product components are not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

#1150 Green Ink SDS US

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

Mobility in soil This product is water soluble and may disperse in soil.

Other adverse effects None known.

13. Disposal considerations

Disposal instructions Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Not established.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is hazardous according to OSHA 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#1150 Green Ink SDS US

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed

US. Pennsylvania Worker and Community Right-to-Know Law

Diethylene glycol (CAS 111-46-6)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)No

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date30-June-2015Revision date21-July-2015

Version # 02

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 2*

Flammability: 1 Physical hazard: 0

NFPA ratings



Disclaimer

Universal Stenciling & Marking Systems, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

#1150 Green Ink SDS US

908081 Version #: 02 Revision date: 21-July-2015 Issue date: 30-June-2015

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).